

MARSHALL COUNTY COMMISSION

CHAIRMAN
JOHN YOUNG

COUNTY ADMINISTRATOR
ASHLEIGH BUBBETT

COUNTY ENGINEER
MICHAEL D. KNOP



DISTRICT 1
CHARLES WHISENANT

DISTRICT 2
JAMES R. WATSON

DISTRICT 3
LEE SIMS

DISTRICT 4
JOEY BAKER

MEMORANDUM

TO: All Vendors

FROM: Michael D. Knop, P.E. *MDK*
Marshall County Engineer

DATE: August 28, 2026

SUBJECT: Addendum No. 1 re: Bid #23-26 Invitation for Bids for Corrugated High Density Polyethylene Pipe and Polypropylene Pipe

Please know that all materials shall meet the required specifications of the Alabama Department of Transportation Standard Specifications and AASHTO Specifications. All bidders are required to sign and submit this addendum with your bid invitation.

The specifications for Polyethylene Pipe are as follows: **High Density Corrugated Polyethylene Plastic Pipe with an integral smooth interior wall meeting AASHTO M294 Type S Specifications. Joints shall consist of a bell and spigot type with an O-ring rubber gasket placed on the spigot end and shall meet ASTM-F477.**

The specifications for Polypropylene Pipe are as follows: **Heavy Duty (Gray) High Density Polypropylene Pipe with an integral smooth interior wall meeting AASHTO M330 and ASTM F2881 Specifications. Joints shall consist of a bell and spigot type with an O-ring rubber gasket placed on the spigot end and shall meet ASTM-D3212 and ASTM-F2881. Spigot gaskets meet the requirements of ASTM-F477.**

Please contact my office at (256) 571-7712 should you have any questions or concerns regarding this addendum.

VENDOR'S RESPONSE:

I hereby agree to furnish the above-named items on or by the dates requested and hereby certify that all specifications set forth will be met.

Authorized Representative

Typed or Printed Name